

notes:

The parcel is 5.17 acres. The address if the property before the vacant land is 325 Masthope Plank Rd; Lackawaxen, PA 18435. Just past the parcel is a new house and garage on parcel #2 that is addressed as 359 Masthope Plank Rd; Lackawaxen PA 18435. Parcell, 2 & 3 were sold a over the past couple of years.

Legend Labels Parcel Labels Road Labels Address Point Labels Municipality Labels Base O Address Points Parcels **Roads** Major Roads —Interstate Highway -- State/National Highways and Roads Minor Roads —Local/Private Roads —Forest/Park Trails --Other **Hydrology** Water Bodies —Streams **Municipality Boundaries** -----Municipality Boundaries **Basemaps and Imagery**


3800-FM-WSWM0290A 9/2001



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

SITE INVESTIGATION AND PERCOLATION TEST REPORT FOR ONLOT DISPOSAL OF SEWAGE

7/10-00-	INSTR	истю	NS FOR (COMPLETIO	ON OF TH	S FORM A	RE LOCA	TED ON T	HE REVER	RSE SIDE		
ZLAROCC O Application	No				Municipality LACKAWAXEN County FIKE							
Site Location LOT4 MAP# 014.00-01-06 Subdivision Name NIFHOPE SR 1014												
SUITABLE Soil Type 2/2 Slope 1/2 % Depth to Limiting Zone 22" Ave. Perc. Rate 18.54												
UNSUITABLE Mottling Seeps or Ponded Water Bedrock Fractures Coarse Fragments												
Perc. Rate Slope Unstabilized Fill Floodplain Other												
SOILS DESCRIPTION: A++ / S												
SOILS DESCRIPTION: $\Delta \# / Solar SEO 01220$ Date: $7/12/05$												
Inche	es		А		Description of Horizon							
0. TO 22" darks brown sandy chay boar granular												
	0		1	Lopal Channery, Fill material (+4 yrs inclose)								
22" TO get for sandy clay SAB very form												
T	o		w	reserve dose verobic or pent-bose. 51000 A								
TO freque dose verobic or pent-bose. 5 ton								A				
TO system Perimeter drains beginsed 1-								-1				
SR 1014												
PERCOLATION TEST: Percolation Test Completed by: SPINEZLI SED 01793 Date: 7/21/05												
Weather Conditions: ☐ Below 40°F												
Soil Conditions: Wet Dry Frozen												
		-		Reading	Reading	Reading	Reading	Reading	Reading	Reading	Reading	
Hole No.	Yes	No	Reading Interval	No. 1:	No. 2:	No. 3:	No. 4:	No. 5:	No. 6;	No. 7	No. 8;	
1	165	140	19/30	1/14	1/14	1/18	Inches of drop	Inicies of drop	males or Grop	incres or drop	tixaves of drop	
2			10/30	1	1	1	1					
3			10/30	21/2	21/2	23/8	23/8					
Н			#0 /30	31/2	3114	3114	31/4					
5			# 0/30	11/2	11/2	13/8	13/8	13/8				
6	/		30/30	33/8	3	3	27/8	23/4				
***Water remaining in the hole at the end of the final 30-minute presoak? Yes, use 30-minute interval; No, use 10-minute interval.												
Calculation of Average Percolation Rate:												
	Drop	during	Per	rc. Rate as	Dep							
Hole No.	final	period	Mi	nutes/Inch	of H							
		118 "		261	d	0-						
2		7/		30.0	-+							
3_	23/8.			12.6.			7	The informations remided in the true and				
	314.			9.2			**************************************	The information provided is the true and correct result of tests conducted by me,				
5_	13/8.			21.8	*			performed under my personal supervision,				
6	23/4.			10.9 V.				or verified in a margner approved by DEP.				
TOTAL OF	OTAL OF MIN / IN ->			11.2 = 18.54 Minutada			187	Sames 4. Holan 01220				
TOTAL NO.	LES→	920	6				- Charles	rage Enforce				



DECLARATION OF RESTRICTIVE COVENANTS FOR THE DELLAROCCO SUBDIVISION LACKAWAXEN TOWNSHIP PIKE COUNTY, PENNSYLVANIA PAGE 1

- 1. Lots 1-4 as drawn on the map of the Final Plan of the minor subdivision of the Dellarocco Subdivision are each comprised of two parcels as shown on the map bisected by the Erie Railroad. It is a requirement of this subdivision that the two parcels comprising each lot shall always be conveyed together as one lot in all future conveyances unless further subdivision is undertaken as permitted by local ordinances.
- 2. Storm water from structures requiring footing drains will be mitigated with the installation rain gutters with leaf guards and downspouts that are to be tied into perforated subsurface holding tanks for the 2.33 year storm event. All areas disturbed by construction other than driveways will be seeded and covered with hay subsequent to construction.
- 3. Driveways on all lots in the subdivision shall be constructed in such a manner as not to exceed a 16% grade. The use of a switchback driveway is permitted.
- 4. All structures on erected or installed on any lot shall be have the same exterior siding as the main structure in color, style and design. For example, if the main structure is cedar sided, then any garage, shed, outbuilding, stable, et cetera shall have cedar siding of the same color, style and design as the main structure. Half log siding may be substituted on any structure on a lot if the main structure erected is a log cabin. Earth tone vinyl siding, wood siding, stone and stucco or any combination thereof shall be permitted on any structure. Faux natural stone siding elements comprised of concrete may be permitted in lieu of natural stone on any structure.
- 5. Brick, white and pink vinyl siding, metal siding, including aluminum siding are specifically prohibited on the exterior of any structure erected or installed on any lot.

DECLARATION OF RESTRICTIVE COVENANTS FOR THE DELLAROCCO SUBDIVISION LACKAWAXEN TOWNSHIP PIKE COUNTY, PENNSYLVANIA Page 2

- 6. Stucco can only be used to cover up to fifty percent of the exterior of any structure. Stucco color to compliment the earth tone siding on other parts of the structure where stucco is used.
- 7. All roofs of all structures on any particular lot shall match in color, style and design. For example, if the main structure has a slate tile roof, then all other structures shall have a slate tile roof of the same color, style and design. Or, for example, if the main structure has an architectural shingled roof then all other structures shall have an architectural shingled roof of the same color, style and design.
- 8. Any exposed basement or crawl space shall be stained in a color complimentary to the earth tone siding on the structure. Or any exposed basement or crawl space shall pargeted with dyed parget colored in such a manner as to compliment the earth tone siding on the structure.
- 9. Any expose basement or crawl space wall shall be screened with plantings such as, but not limited to, conifers or trumpet vines or wisteria vines in such a manner so not to obstruct a river view from any windows or doors in a basement.
- 10. With respect to development on steep slopes those portions of the building site defined as over fifteen percent (15%) slope shall be limited to no more than Seven Thousand (7,000) square feet of these steep slope areas may be totally cleared for building purposes. Moreover, building is encouraged to be completed in areas of less than fifteen (15) percent slope on the each parcel where this deed restriction would not apply. Lot owners may seek relief of any form from the township or a variance from the township for relief from this deed restriction, in particular, but not limited to the event the steep slope aspect of the ordinance being amended. In the interest of safety, driveways, in particular, the use of switchback driveways will be exempt from this restriction.
- 11. The developer and all subsequent property owners retain the right to harvest timber from their property in the interest of best forestry management practices; provided that such right shall not include the operation of a Forestry Enterprise, as defined in the

Lackawaxen Township Zoning Ordinance.
IN WITNESS WHEREOF, the party hereto has set his hand this 8^{th} day of January, 2008 and intend to be legally bound hereby.
VINCENT D. DELLAROCCO BA, MBA
State of Florida
County of Collier
On this 8th day of January, 2008, before me the undersigned officer, personally appeared VINCENT D. DELLAROCCO, known to me to be the person whose name is subscribed to the within instrument and acknowledged that he executed the same for the purposes therein contained and desired the same might be recorded as such.
In Witness Whereof, I hereunto set my hand and official stamp.
Notary Public